



Car Parking Lot Industrial Epoxy Floor Coating Epoxy Mortar Repairs Damaged Concrete

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-SL5001
- Minimum Order Quantity: 500KG
- Price: US\$2.5-3.8/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month


CREKOAT



Product Specification

- Commodity Name: Industrial Epoxy Adhesive
- Notable Element: Low Maintenance Requirements
- Key Words: Seamless, High Gloss Finish
- Materials: Epoxy Resin And Hardener
- Application: Wood, Tile, Concrete
- Mixing Ratio: 5:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: Damaged Concrete Industrial Epoxy Floor Coating, Epoxy Mortar Industrial Epoxy Floor Coating, Industrial Epoxy Floor Coating

CREKOAT



Product Description

Car Parking Lot Industrial Epoxy Floor Coating Epoxy Mortar Repairs Damaged Concrete

Quick Details Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings, infused with state-of-the-art materials like micro diamond particles or conductive graphene sheets, enhance slip resistance by creating a specialized surface texture that maximizes traction. This groundbreaking formulation not only minimizes slip risks, particularly in damp conditions, but also establishes a new standard for durability and safety measures. Following precise application methods and regular maintenance practices is crucial to sustain the effectiveness and longevity of these advanced slip-resistant features.

Features Of Industrial Epoxy Floor Coating:

1. Quartz epoxy is durable and textured
2. Epoxy mortar repairs damaged concrete
3. Non-slip surface for enhanced safety
4. Easy to apply, clean and maintain surface
5. Withstand heavy equipment and machinery
6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Industrial Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. Resistant to abrasion, chemicals, and moisture, it's perfect for high-traffic areas in commercial, industrial, and residential spaces. Customizable in colors and patterns for a decorative touch, it's easy to maintain without harsh chemicals. Slip-resistant for safety, it suits various substrates like concrete, wood, and metal, offering versatility. With its durability, customization options, and low-maintenance properties, epoxy floor coating is a popular and practical choice for both residential and commercial applications.

Product Descriptions Of Industrial Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm ³	
Mix Ratio	5:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	8-10hrs@35°C, 15-20hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	



 +8615017402317  info@crekoat.com  epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China