

Colored Epoxy And Polyurethane Flooring Coating High-Performance Finish


Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-SL5001
- Minimum Order Quantity: 500KG
- Price: US\$2.5-3.8/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month


CREKOAT



Product Specification

- Stock Label: Heavy Duty Industrial Flooring
- Unprecedented Innovation: Low Toxicity For Safe Handling
- Key Words: Seamless, High Gloss Finish
- Materials: Epoxy Resin And Hardener
- Application: Wood, Tile, Concrete
- Mixing Ratio: 5:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **High Performance Epoxy Flooring Coating, Polyurethane Flooring Epoxy Coating, Colored Coatings Epoxy Flooring**

CREKOAT



Product Description

Colored Coatings Epoxy And Polyurethane Flooring High-Performance Finish

Quick Details Of Industrial Epoxy Floor Coating:

The installation of industrial epoxy floor coating begins with meticulous surface preparation and priming. Mixing advanced epoxy compounds, applying with tailored techniques, and incorporating optional design elements lead to a customized, durable flooring solution. Curing and optional topcoat applications finish the process for a high-performance finish.

Features Of Industrial Epoxy Floor Coating:

1. Can be applied as clear sealers
2. Providing versatility in design options
3. Non-slip surface for enhanced safety
4. Easy to apply, clean and maintain surface
5. Withstand heavy equipment and machinery
6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Industrial Epoxy floor coating is a flooring system composed of epoxy resin and hardener that creates a strong, durable, and long-lasting surface. Resistant to abrasion, chemicals, and moisture, it's perfect for high-traffic areas in commercial, industrial, and residential spaces. Customizable in colors and patterns for a decorative touch, it's easy to maintain without harsh chemicals. Slip-resistant for safety, it suits various substrates like concrete, wood, and metal, offering versatility. With its durability, customization options, and low-maintenance properties, epoxy floor coating is a popular and practical choice for both residential and commercial applications.

Product Descriptions Of Industrial Epoxy Floor Coating:

| Item | Epoxy Resin(A) | Hardener(B) |
|--------------|---|-------------|
| Appearance | Liquid | Liquid |
| Color | Custom Colors | Transparent |
| Density@25°C | 1.3g/cm3 | |
| Mix Ratio | 5:1 by weight | |
| Hardness | 3H | |
| Pot Life | 30-40mins@25°C | |
| Curing Time | 8-10hrs@35°C, 15-20hrs@25°C 24hrs, Dry Completely | |
| Recoat Time | 2 Hrs | |
| Thickness | 1-3 mm | |
| Shelf Life | 12 Months | |
| Application | Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms. | |





+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China