

## Anti-Slip Patio Epoxy Coating Improve Traction In High-Traffic Areas

Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-WZ3001
- Minimum Order Quantity: 500KG
- Price: US\$2.5-3.8/Kg
- Packaging Details: Bottle/Carton/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month



### Product Specification

- Inventory Appellation: Epoxy Outdoor Patio
- Noteworthy Aspect: Self-Degassing
- Key Words: Seamless, High Gloss Finish
- Materials: Epoxy Resin And Hardener
- Application: Wood, Tile, Concrete
- Mixing Ratio: 3:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Anti-Slip Patio Epoxy Coating,  
Improve Traction Patio Epoxy Coating,  
High-Traffic Areas Patio Epoxy Coating**



## Product Description

### Anti-Slip Patio Epoxy Coating Improve Traction In High-Traffic Areas

#### Quick Details Of Non Slip Epoxy Floor Coating:

Exploring the realm of Non-Slip Epoxy Floor Coating reveals a vast spectrum of color and decorative options, each intricately designed to suit individual tastes and functional necessities. From sophisticated solid hues that exude timeless charm to textured flakes that enhance grip and visual appeal, the choices are diverse. Contemporary metallic epoxy finishes offer a touch of luxury, while quartz-infused coatings provide unmatched durability. Custom designs allow for personalization and branding, while color blends offer a unique and tailored aesthetic. Selecting the perfect color and decorative elements requires a thorough evaluation of factors like space usage, design preferences, durability needs, and maintenance considerations. Seeking advice from seasoned professionals can aid in making informed decisions to create a Non-Slip Epoxy Floor Coating that not only impresses visually but also harmonizes seamlessly with the specific requirements of the space.

#### Features Of Non Slip Epoxy Floor Coating:

1. Improve traction in high-traffic areas
2. Repair and protect damaged concrete surfaces
3. Waterproofing capabilities barrier finish
4. Easy to apply, easy clean and maintain
5. Withstand heavy equipment and machinery
6. Suitable for industries and commercial spaces

#### Advantages Of Non Slip Epoxy Floor Coating:

Non-slip epoxy floor coatings provide a comprehensive solution by effectively merging safety, durability, and aesthetic appeal. Designed to enhance traction and reduce the risk of slips in high-traffic areas, these coatings are particularly suited for industrial settings. Their resilience against heavy foot traffic and impacts, combined with exceptional chemical resistance, makes them an excellent choice for demanding environments. Easy to maintain and available in various colors and finishes, non-slip epoxy coatings not only prioritize safety and longevity but also elevate the visual appeal of the space, catering to diverse needs across industrial, commercial, and residential settings.

#### Product Descriptions Of Non Slip Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China