

## UV-Stable Epoxy Floor Coating Over Concrete Resist Yellowing And Degradation From Sunlight

Our Product Introduction

for more products please visit us on [epoxyresinfloorcoating.com](http://epoxyresinfloorcoating.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-WZ3001
- Minimum Order Quantity: 500KG
- Price: US\$2.5-3.8/Kg
- Packaging Details: Bottle/Carton/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month



### Product Specification

- Brand Title: Epoxy Resin Floor Coating
- Uncommon Trait: Unique Look
- Key Words: Seamless, High Gloss Finish
- Materials: Epoxy Resin And Hardener
- Application: Wood, Tile, Concrete
- Mixing Ratio: 3:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **UV-Stable Epoxy Floor Coating, Resist Yellowing Epoxy Floor Coating**



## Product Description

### UV-Stable Epoxy Over Concrete Resist Yellowing And Degradation From Sunlight

#### Quick Details Of Non Slip Epoxy Floor Coating:

Exploring the realm of Non-Slip Epoxy Floor Coating unveils a myriad of color and decorative options, each meticulously crafted to cater to diverse preferences and functional requirements. From classic solid colors radiating timeless sophistication to textured flakes enhancing both aesthetics and safety, and from modern metallic epoxy finishes adding a touch of luxury to durable quartz-infused coatings, the choices are extensive. Custom designs offer a personalized touch for branding or individual expression, while color blends provide a unique and tailored aesthetic appeal. Selecting the perfect color and decorative elements involves a thoughtful analysis of factors such as space usage, design preferences, durability needs, and maintenance considerations. Collaborating with experienced professionals can facilitate informed decisions in creating a Non-Slip Epoxy Floor Coating that not only visually captivates but also seamlessly aligns with the specific requirements of the environment.

#### Features Of Non Slip Epoxy Floor Coating:

1. Anti-graffiti properties make cleaning easier
2. Resist yellowing and degradation from sunlight
3. Waterproofing capabilities barrier finish
4. Easy to apply, easy clean and maintain
5. Withstand heavy equipment and machinery
6. Suitable for industries and commercial spaces

#### Advantages Of Non Slip Epoxy Floor Coating:

Non-slip epoxy floor coatings provide a comprehensive solution by effectively merging safety, durability, and aesthetic appeal. Designed to enhance traction and reduce the risk of slips in high-traffic areas, these coatings are particularly suited for industrial settings. Their resilience against heavy foot traffic and impacts, combined with exceptional chemical resistance, makes them an excellent choice for demanding environments. Easy to maintain and available in various colors and finishes, non-slip epoxy coatings not only prioritize safety and longevity but also elevate the visual appeal of the space, catering to diverse needs across industrial, commercial, and residential settings.

#### Product Descriptions Of Non Slip Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C 24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China