

CHINA

CREKOAT

TDS, MSDS

CK-WZ3001

US\$2.5-3.8/Kg Bottle/Carton/Pallet

3-7 Working Days

1000 Ton/Month

Fast-Set Non Slip Epoxy Floor Coating Bond Quickly For Rapid Repairs

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 500KG
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T
- Supply Ability:

CREKOAT



Product Specification

- Item Name:
- Uncommon Feature:
- Key Words:
- Materials:
- Application:
- Mixing Ratio:
- Pot Life:
- Shelf Life:
- Highlight:

Commercial Epoxy
Abrasion Resistance
Seamless, High Gloss Finish

- Epoxy Resin And Hardener
- Wood, Tile, Concrete
- 3:1 By Weight
- 40 Minutes
- 12 Months
 - Non Slip Epoxy Floor Coating, Epoxy Floor Coating

CREKOAT



Our Product Introduction

Fast-Set Non Slip Epoxy Floor Coating Bond Quickly Ideal For Rapid Repairs

Quick Details Of Non Slip Epoxy Floor Coating:

Exploring the world of Non-Slip Epoxy Floor Coating reveals a vast array of color and decorative options, each tailored to unique tastes and practical needs. From bold solid colors evoking a sense of drama to intricate patterns that add depth and character, and from glossy metallic finishes that exude modernity to durable quartz-infused coatings that promise longevity, the diversity is striking. Customized designs offer a personal touch for branding or individual style expression, while harmonious color blends create a cohesive and visually appealing environment. Careful consideration of space functionality, design aesthetics, and maintenance requirements is crucial for selecting the perfect Non-Slip Epoxy Floor Coating that not only enhances safety but also elevates the overall ambiance of the space. Collaborating with experts ensures a tailored solution that combines both style and substance.

Features Of Non Slip Epoxy Floor Coating:

- 1. Bond quickly, ideal for rapid repairs
- 2. Suitable for indoor applications
- 3. Waterproofing capabilities barrier finish
- 4. Easy to apply, easy clean and maintain
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Non Slip Epoxy Floor Coating:

Non-slip epoxy floor coatings provide a comprehensive solution by effectively merging safety, durability, and aesthetic appeal. Designed to enhance traction and reduce the risk of slips in high-traffic areas, these coatings are particularly suited for industrial settings. Their resilience against heavy foot traffic and impacts, combined with exceptional chemical resistance, makes them an excellent choice for demanding environments. Easy to maintain and available in various colors and finishes, non-slip epoxy coatings not only prioritize safety and longevity but also elevate the visual appeal of the space, catering to diverse needs across industrial, commercial, and residential settings.

Product Descriptions Of Non Slip Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)	
Appearance	Liquid	Liquid	
Color	Custom Colors	Transparent	
Density@25ºC	1.3g/cm3		
Mix Ratio	3:1 by weight		
Hardness	3Н		
Pot Life	30-40mins@25°C		
Curing Time	12-15hrs@35°C, 16-24hrs@25°C		
	24hrs, Dry Completely		
Recoat Time	2 Hrs		
Thickness	1-3 mm		
Shelf Life	12 Months		
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.		

for more products please visit us on epoxyresinfloorcoating.com





No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China