

High-Gloss Indoor Epoxy Flooring Coating Provide A Sleek Mirror-Like Appearance

Basic Information

Place of Origin: CHINA
 Brand Name: CREKOAT
 Certification: TDS, MSDS
 Model Number: CK-WZ3001
 Minimum Order Quantity: 500KG

Price: US\$2.5-3.8/Kg
 Packaging Details: Bottle/Carton/Pallet
 Delivery Time: 3-7 Working Days

Payment Terms: T/T

Supply Ability: 1000 Ton/Month



Product Specification

Merchandise Tag:
 Non Slip Epoxy Coating For Concrete

Singular Attribute: Enhanced Adhesion

Key Words: Seamless, High Gloss Finish
 Materials: Epoxy Resin And Hardener
 Application: Wood, Tile, Concrete
 Mixing Ratio: 3:1 By Weight

Mixing Ratio: 3:1 By Well
Pot Life: 40 Minutes
Shelf Life: 12 Months

• Highlight: Mirror-Like Indoor Epoxy Flooring Coating,

Sleek Indoor Epoxy Flooring Coating, High-Gloss Indoor Epoxy Flooring Coating



Product Description

High-Gloss Indoor Epoxy Flooring Provide A Sleek Mirror-Like Appearance

Quick Details Of Non Slip Epoxy Floor Coating:

When delving into the realm of Non-Slip Epoxy Floor Coating, a diverse spectrum of color and decorative choices emerges, tailored to individual preferences and practical applications. Ranging from vibrant solid hues that infuse energy into a space to intricate patterns that introduce depth and intrigue, and from sleek metallic finishes that offer a touch of sophistication to resilient quartz-infused coatings that promise durability, the options are abundant. Personalized designs enable unique branding opportunities or individual style expressions, while harmonious color blends create a cohesive and visually striking atmosphere. Thoughtful consideration of space utilization, aesthetic preferences, and maintenance demands is key to selecting the ideal Non-Slip Epoxy Floor Coating that not only ensures safety but also enhances the overall allure of the setting. Collaboration with professionals guarantees a bespoke solution that seamlessly integrates functionality with style.

Features Of Non Slip Epoxy Floor Coating:

- 1. Provide a sleek, mirror-like appearance
- 2. Low volatile organic compounds
- 3. Waterproofing capabilities barrier finish
- 4. Easy to apply, easy clean and maintain
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Non Slip Epoxy Floor Coating:

Non-slip epoxy floor coatings provide a comprehensive solution by effectively merging safety, durability, and aesthetic appeal. Designed to enhance traction and reduce the risk of slips in high-traffic areas, these coatings are particularly suited for industrial settings. Their resilience against heavy foot traffic and impacts, combined with exceptional chemical resistance, makes them an excellent choice for demanding environments. Easy to maintain and available in various colors and finishes, non-slip epoxy coatings not only prioritize safety and longevity but also elevate the visual appeal of the space, catering to diverse needs across industrial, commercial, and residential settings.

Product Descriptions Of Non Slip Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	3:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	12-15hrs@35°C, 16-24hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2 Hrs	
Thickness	1-3 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	









(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China