

High Gloss Table Top Epoxy Resin Self-Degassing To Minimize Air **Bubbles**

Basic Information

. Place of Origin: **CHINA** . Brand Name: **CREKOAT** TDS, MSDS · Certification: CK-TC2001 Model Number: • Minimum Order Quantity: 500KG

• Price: US\$3.2-4.5/Kg Packaging Details: Bottle/Carton/Pallet • Delivery Time: 3-7 Working Days

Payment Terms: T/T

. Supply Ability: 1000 Ton/Month



Product Specification

. Merchandise Tag: Clear Seal Epoxy

 Distinctive Attribute: Low Odor

Bubble Free, Crystal Clear . Key Words: 100% Solid Epoxy Resin Materials: Casting, Coating And Art · Application:

Mixing Ratio: 2:1 By Weight Pot Life: 40 Minutes Shelf Life: 12 Months

• Highlight: High Gloss Table Top Epoxy Resin, Self Degassing Table Top Epoxy Resin

CREKOAT



Product Description

High Gloss Table Top Epoxy Resin Self-Degassing To Minimize Air Bubbles

Quick Details Of Table Top Epoxy Resin:

Tabletop epoxy resin, tailored for tabletops and furniture, distinguishes itself with a crystal-clear finish, robust UV resistance, thick pour capacity, advanced bubble release, scratch and heat resilience, extended curing time, and potential food safety. Notable for its clarity, UV protection, pour thickness, bubble control, durability, curing duration, and food-grade suitability, this resin excels in aesthetics and functionality. While ideal for specific uses, other epoxy types can be adapted for similar tasks with adjusted techniques and consideration of their properties.

Features Of Table Top Epoxy Resin:

- 1. High gloss retention for a stunning finish
- 2. Self-degassing to minimize air bubbles
- 3. Bubble-free for professional, smooth finishes
- 4. Long-lasting beauty with proper care
- 5. Non-toxic formula safe for indoor application
- 6. Heat resistance enduring hot items

Advantages Of Table Top Epoxy Resin:

Table top epoxy resin offers a plethora of benefits, including a high gloss finish that enhances surfaces, exceptional durability against scratches and stains, water and chemical resistance, UV protection for outdoor use, versatility across various materials, self-leveling properties for easy application, the ability to amplify natural aesthetics, customization options for unique designs, quick curing times for efficient projects, bubble release for a smooth finish, and low maintenance requirements, collectively making it a popular and advantageous choice for both DIY enthusiasts and commercial applications.

Product Descriptions Of Table Top Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25ºC	700-900 mPa⋅s	300-500 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3mm	
Shelf Life	12Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards,	
	Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and	
	Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	









(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China