

Matte Finish Option Clear Epoxy Resin Modern Look Extended Working Time

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-TC2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month

CREKOAT



Product Specification

- Stock Appellation: Clear Matt Epoxy Resin
- Noteworthy Property: Impact Resistant
- Key Words: Bubble Free, Crystal Clear
- Materials: 100% Solid Epoxy Resin
- Application: Casting, Coating And Art
- Mixing Ratio: 2:1 By Weight
- Pot Life: 40 Minutes
- Shelf Life: 12 Months
- Highlight: **Matte Finish Epoxy Resin,
Extended Working Time Clear Epoxy Resin,
Modern Look Epoxy Resin**

CREKOAT



Product Description

Matte Finish Option Clear Epoxy Resin Modern Look Extended Working Time

Quick Details Of Table Top Epoxy Resin:

The optimal thickness for pouring table top epoxy resin varies depending on the product used, but typically falls between 1/8 inch to 1/4 inch per layer to prevent issues like bubbling or overheating. Thicker pours can generate excess heat leading to uneven curing; thus, it's advised to apply multiple thinner layers instead. Specialized epoxy resins exist for thicker pours, containing additives to mitigate heat buildup and enhance air release. Adherence to the manufacturer's instructions is essential for successful application and desired outcomes.

Features Of Table Top Epoxy Resin:

1. Matte finish option for a modern look
2. Extended working time for intricate designs
3. Bubble-free for professional, smooth finishes
4. Long-lasting beauty with proper care
5. Non-toxic formula safe for indoor application
6. Heat resistance enduring hot items

Advantages Of Table Top Epoxy Resin:

Table top epoxy resin offers a plethora of benefits, including a high gloss finish that enhances surfaces, exceptional durability against scratches and stains, water and chemical resistance, UV protection for outdoor use, versatility across various materials, self-leveling properties for easy application, the ability to amplify natural aesthetics, customization options for unique designs, quick curing times for efficient projects, bubble release for a smooth finish, and low maintenance requirements, collectively making it a popular and advantageous choice for both DIY enthusiasts and commercial applications.

Product Descriptions Of Table Top Epoxy Resin:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa·s	300-500 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D85-90	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-3mm	
Shelf Life	12Months	
Application	Ideal for all Casting, Coating and Art Projects including Cutting Boards, Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork and Acrylic Pour Paintings, Geode Paintings, Molds, River Tables	





+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China