Wood Clear Coat Epoxy Cures To High Gloss Finish That Resists Yellowing

Basic Information

. Place of Origin: **CHINA** Brand Name: **CREKOAT** TDS, MSDS · Certification: Model Number: CK-ART1001 • Minimum Order Quantity: 500KG

• Price: US\$3.5-4.8/Kg · Packaging Details: Bottle/Carton/Pallet • Delivery Time: 3-7 Working days

Payment Terms: T/T

. Supply Ability: 1000 Ton/Month



Product Specification

Labeling Mark: Tinting Clear Resin . Singular Quality: Ultra-Glossy Finish . Key Words: Versatile Application Materials: 100% Solids Epoxy Resin Casting, Coating And Art · Application:

Mixing Ratio: 1:1 By Volume Pot Life: 40 Minutes Shelf Life: 12 Months

• Highlight: Wood Clear Coat Epoxy,

High Gloss Wood Clear Coat Epoxy



Product Description

Wood Clear Coat Epoxy Cures To A High-Gloss Finish That Resists Yellowing

Quick Details Of Clear Epoxy Resin:

Clear epoxy resin is a highly effective solution for protecting wood surfaces, offering a robust, high-gloss finish that brings out the rich details of the wood while providing a strong defense against moisture, scratches, and discoloration. To achieve the best results, begin by sanding the wood to a smooth, even surface, ensuring proper resin adhesion. Apply the resin in thin, uniform layers, allowing each layer to cure completely before adding the next. Use a heat gun to carefully remove any air bubbles that may form. Once fully cured, lightly sand and polish the surface to create a glass-like, flawless finish that will not only protect but also enhance the wood's appearance for years.

Features Of Clear Epoxy Resin:

- 1. Perfect for embedding photos and personal mementos
- 2. Cures to a high-gloss finish that resists yellowing
- 3. Free of solvents, VOC/BPA free
- 4. Ideal for layering to create depth in art pieces
- 5. Easy to polish for a smooth, refined surface
- 6. Great for combining with pigments and dyes

Advantages Of Clear Epoxy Resin:

Clear epoxy resin offers a multitude of advantages, including exceptional clarity, UV resistance to prevent yellowing, durability against wear and scratches, chemical resistance, versatility for various applications, water resistance, ease of application, strong adhesion to different materials, heat resistance, and the ability to enhance aesthetics with a glossy finish. These qualities make clear epoxy resin a favored choice across industries like woodworking, art, flooring, and crafting for its diverse benefits and applications.

Product Descriptions Of Clear Epoxy Resin:

Epoxy Resin(A)	Hardener(B)
Liquid	Liquid
Transparent	Transparent
1800-2300 mPa⋅s	300-500 mPa⋅s
1.05±0.05	0.95±0.03
1:1 by volume	
Shore, D85-90	
40-50mins@25°C	
6-8hrs@35°C, 10-15hrs@25°C	
Curing Time 24hrs, Dry	Completely
2Hrs	
5-10cm	
12 Months	
Ideal for all Casting, Coating and Art Projects including Cutting Boards Application Coasters, Countertops, Bartop, Resin Art, Resin Jewelry, Coating Artwork	
	Liquid Transparent 1800-2300 mPa·s 1.05±0.05 1:1 by Shore, 40-50mi 6-8hrs@35°C, 24hrs, Dry 21 5-1 12 N Ideal for all Casting, Coating and A Coasters, Countertops, Bartop, Resin









(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China