




Anti Slip Epoxy Flake Floor Coating Can Be Textured To Provide Better Traction

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-TC2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month


CREKOAT



Product Specification

- Product Label: Paint Chip Epoxy Flooring
- Traits: Durable Bonding
- Key Words: Fast Curing
- Materials: 100% Solids Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **Anti Slip Epoxy Flake Floor Coating, Epoxy Flake Floor Coating Anti-Corrosive**

CREKOAT



Product Description

Anti Slip Epoxy Flake Floor Coating Can Be Textured To Provide Better Traction

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coatings stand out as a premium flooring solution for both residential and commercial spaces, offering unmatched durability and design flexibility. In residential settings, they transform garages, basements, and kitchens into stylish, low-maintenance areas that resist stains, moisture, and wear. For commercial environments like retail stores, restaurants, and industrial facilities, their superior strength and chemical resistance make them ideal for high-traffic and demanding conditions. What truly differentiates epoxy flake floors is their ability to create custom, visually stunning finishes by blending colored flakes with a clear epoxy topcoat, resulting in a unique, textured look that enhances safety with optional anti-slip additives. Combined with professional installation and meticulous surface preparation, these floors deliver a seamless, long-lasting surface that seamlessly merges functionality with aesthetic appeal, making them a top choice for spaces that require both performance and personality.

Features Of Epoxy Flake Floor Coating:

1. Can be textured to provide better traction
2. Creates a smooth, joint-free flooring solution
3. Enhances safety with slip-resistant properties
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy flake floor coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa·s	300-500 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	



+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China