



Resist Yellowing Epoxy Flake Floor Coating For Residential And Commercial Spaces

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-TC2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month



Product Specification

- Product Brand: Mica Flake Epoxy Floor
- Qualities: Heat Resistant
- Key Words: Fast Curing
- Materials: 100% Solids Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: Resist Yellowing Epoxy Flake Floor Coating,
Anti-Corrosive Epoxy Flake Floor Coating,
Heat Resistant Epoxy Flake Floor Coating



Product Description

Resist Yellowing Epoxy Flake Floor Coating For Residential And Commercial Spaces

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coatings redefine flooring solutions for both residential and commercial spaces by seamlessly blending durability, customization, and eco-friendly options. In homes, they elevate garages, basements, and kitchens with a sleek, easy-to-clean surface that resists stains, impacts, and moisture. For commercial applications like retail stores, restaurants, and industrial facilities, their exceptional load-bearing capacity and resistance to chemicals, abrasion, and heavy traffic ensure long-term performance. What sets epoxy flake floors apart is their ability to incorporate eco-friendly formulations and recycled materials, catering to sustainable design preferences without compromising on strength or aesthetics. The decorative flakes, available in a spectrum of colors and sizes, allow for truly unique, textured finishes that can be tailored to reflect brand identity or personal style. Paired with professional installation and advanced surface preparation techniques, epoxy flake floors deliver a flawless, resilient surface that combines practicality with unparalleled visual impact, making them a standout choice for spaces that demand both innovation and reliability.

Features Of Epoxy Flake Floor Coating:

1. Requires minimal maintenance and is simple to wipe down
2. Some formulations resist yellowing from sunlight exposure
3. Enhances safety with slip-resistant properties
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy flake floor coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa-s	300-500 mPa-s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	



+8615017402317



info@crecoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China