



UV-Resistant Epoxy Flake Floor Coating Low-Maintenance Surface

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-TC2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month



Product Specification

- Product Tag: Colour Flakes Flooring
- Components: Low Shrinkage
- Key Words: Fast Curing
- Materials: 100% Solids Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **UV-Resistant Epoxy Flake Floor Coating, Low-Maintenance Epoxy Flake Floor Coating**



Product Description

UV-Resistant Epoxy Flake Floor Coating Low-Maintenance Surface

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coatings are a versatile and innovative solution for residential and commercial spaces, offering exceptional durability and endless design possibilities. Ideal for garages, kitchens, retail stores, and industrial settings, they resist stains, impacts, and heavy traffic while maintaining a sleek, low-maintenance surface. Their unique appeal lies in advanced features like UV-resistant, antimicrobial, or eco-friendly formulations, enhancing longevity and sustainability. With customizable decorative flakes in a spectrum of colors and textures, they create one-of-a-kind, slip-resistant finishes. Professionally installed, epoxy flake floors deliver a seamless, durable, and visually striking surface that combines practicality with modern aesthetics, making them a top choice for spaces that demand both performance and style.

Features Of Epoxy Flake Floor Coating:

1. Can tolerate moderate temperature fluctuations
2. Ideal for environments requiring static control
3. Enhances safety with slip-resistant properties
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy flake floor coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa·s	300-500 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	



+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China