Our Product Introduction

CREKOAT Guangdong Crekoat New Materials Co., Ltd.

Vinyl Chip Epoxy Flooring Enhances Floor Brightness With Light-Reflective

Basic Information

. Place of Origin: **CHINA** . Brand Name: **CREKOAT** · Certification: TDS, MSDS Model Number: CK-TC2001 • Minimum Order Quantity: 500KG

• Price: US\$3.2-4.5/Kg Packaging Details: Bottle/Carton/Pallet • Delivery Time: 3-7 Working Days

Payment Terms: T/T

. Supply Ability: 1000 Ton/Month



Product Specification

• Product Handle: Concrete Paint With Sprinkles

· Capabilities: Non-Toxic Options . Key Words: Fast Curing

Materials: 100% Solids Epoxy Wood, Tile, Concrete · Application:

Mixing Ratio: 2:1 By Weight Pot Life: 30 Minutes Shelf Life: 12 Months

• Highlight: Residential Vinyl Chip Epoxy Flooring,

Commercial Vinyl Chip Epoxy Flooring,

Vinyl Chip Epoxy Flooring

CREKOAT



Product Description

Vinyl Chip Epoxy Flooring Enhances Floor Brightness With Light-Reflective

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coatings provide unique solutions for specialized environments by combining functionality with aesthetic appeal. In cleanrooms and pharmaceutical facilities, they offer seamless, non-porous surfaces that meet strict hygiene standards, while in entertainment venues like theaters or concert halls, their customizable designs enhance the visual experience with vibrant, textured finishes. For agricultural settings, such as barns or food processing areas, they provide durable, easy-to-clean surfaces resistant to moisture and chemicals. The decorative flakes, available in a wide range of colors and textures, allow for tailored designs that reflect specific themes or branding. Additionally, epoxy flake floors can be engineered with thermal conductivity for underfloor heating systems, adding comfort to residential or commercial spaces. Whether for a sterile lab, a lively entertainment space, or a demanding agricultural facility, epoxy flake floors deliver a versatile, high-performance solution that meets unique challenges with style and durability.

Features Of Epoxy Flake Floor Coating:

- 1. Allows moisture vapor transmission in certain formulations
- 2. Enhances brightness in spaces by reflecting light
- 3. Enhances safety with slip-resistant properties
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy flake floor coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa⋅s	300-500 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	









(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China