

Harga Epoxy Flake Coating Ideal For Creating Themed Or Branded Flooring Designs


Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-TC2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Cartron/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month


CREKOAT



Product Specification

- Product Alias: Concrete Sealer Flakes
- Distinctions: Smooth Coating
- Key Words: Fast Curing
- Materials: 100% Solids Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **Residential Vinyl Chip Epoxy Flooring,
Commercial Vinyl Chip Epoxy Flooring,
Vinyl Chip Epoxy Flooring**

CREKOAT



Product Description

Harga Epoxy Flake Coating Ideal For Creating Themed Or Branded Flooring Designs

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coatings stand out as a versatile and innovative flooring solution, offering a unique combination of durability, customization, and advanced functionality. Unlike traditional flooring options, they can be tailored to meet specific needs, such as integrating anti-static properties for electronics manufacturing or adding thermal insulation for energy efficiency. The decorative flakes, available in a wide range of colors and textures, allow for endless design possibilities, from subtle elegance to bold, eye-catching patterns. Advanced features like UV resistance, antimicrobial additives, and eco-friendly formulations further enhance their appeal, ensuring long-lasting performance and sustainability. Whether in a high-traffic commercial space, a stylish residential home, or a demanding industrial environment, epoxy flake floors deliver a seamless, durable, and visually stunning surface that combines practicality with cutting-edge innovation.

Features Of Epoxy Flake Floor Coating:

1. Provides a non-porous surface to prevent liquid absorption
2. Ideal for creating themed or branded flooring designs
3. Enhances safety with slip-resistant properties
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy flake floor coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa·s	300-500 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	



+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China