



Grey Epoxy Floor With Flakes Anti-static Properties For Tech Environments

Our Product Introduction

for more products please visit us on epoxyresinfloorcoating.com

Basic Information

- Place of Origin: CHINA
- Brand Name: CREKOAT
- Certification: TDS, MSDS
- Model Number: CK-TC2001
- Minimum Order Quantity: 500KG
- Price: US\$3.2-4.5/Kg
- Packaging Details: Bottle/Carton/Pallet
- Delivery Time: 3-7 Working Days
- Payment Terms: T/T
- Supply Ability: 1000 Ton/Month


CREKOAT



Product Specification

- Product Nickname: Silver Epoxy Flakes
- Peculiarities: Customizable Colors
- Key Words: Fast Curing
- Materials: 100% Solids Epoxy
- Application: Wood, Tile, Concrete
- Mixing Ratio: 2:1 By Weight
- Pot Life: 30 Minutes
- Shelf Life: 12 Months
- Highlight: **Residential Vinyl Chip Epoxy Flooring,
Commercial Vinyl Chip Epoxy Flooring,
Vinyl Chip Epoxy Flooring**

CREKOAT



Product Description

Grey Epoxy Floor With Flakes Anti-static Properties For Tech Environments

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coatings stand out for their ability to address unique challenges across various environments. In educational institutions, they can be designed with high-traffic durability to withstand daily wear and tear, while in art studios, their customizable designs inspire creativity with vibrant, textured finishes. For automotive showrooms, glossy, reflective coatings enhance the visual appeal of displayed vehicles, and in food processing facilities, FDA-compliant formulations ensure safety and hygiene. The decorative flakes, available in an extensive palette of colors and sizes, allow for tailored designs that reflect specific themes or branding. Additionally, quick-curing options are available for time-sensitive projects, minimizing downtime. Whether for a dynamic school, a creative workspace, or a high-stakes industrial setting, epoxy flake floors deliver a versatile, high-performance solution that meets both functional and aesthetic demands.

Features Of Epoxy Flake Floor Coating:

1. Resists fading from prolonged exposure to sunlight
2. Can be applied over existing flooring for renovation projects
3. Enhances safety with slip-resistant properties
4. Easy to apply, clean and maintain
5. Naturally de-foaming with no ripples
6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy flake floor coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa·s	300-500 mPa·s
Density, g/cm ³	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C 24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	



+8615017402317



info@crekoat.com



epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China