

Flake Floor Coatings Offers A High-gloss Or Matte Finish Based On Preference

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-TC2001
Minimum Order Quantity: 500KG

Price: US\$3.2-4.5/Kg
 Packaging Details: Bottle/Carton/Pallet
 Delivery Time: 3-7 Working Days

Payment Terms: T/T

Supply Ability: 1000 Ton/Month



Product Specification

Shelf Life:

Product Denomination: Metal Flake Epoxy
 Particularities: Self-Leveling
 Key Words: Fast Curing

Materials: 100% Solids Epoxy
Application: Wood, Tile, Concrete
Mixing Ratio: 2:1 By Weight
Pot Life: 30 Minutes

• Highlight: Residential Vinyl Chip Epoxy Flooring,

12 Months

Commercial Vinyl Chip Epoxy Flooring,

Vinyl Chip Epoxy Flooring

CREKOAT



Product Description

Flake Floor Coatings Offers A High-gloss Or Matte Finish Based On Preference

Quick Details Of Epoxy Flake Floor Coating:

Epoxy flake floor coatings offer unique advantages that cater to specialized needs across various industries. In sports facilities, they can be engineered with shock-absorbing properties to reduce athlete fatigue and injury risk, while in laboratories, chemical-resistant formulations ensure safety and durability against harsh substances. For hospitality spaces like hotels and restaurants, their customizable designs create inviting, visually stunning environments that enhance guest experiences. The decorative flakes, available in a wide array of colors and textures, allow for bespoke designs that align with brand identity or architectural themes. Additionally, low-odor, fast-curing options are ideal for occupied spaces, minimizing disruption during installation. Whether for a high-performance gym, a cutting-edge lab, or a luxurious hotel, epoxy flake floors provide a versatile, high-performance solution that combines functionality with innovative design, making them a top choice for diverse and demanding applications.

Features Of Epoxy Flake Floor Coating:

- 1. Offers a high-gloss or matte finish based on preference
- 2. Suitable for both indoor and outdoor applications
- 3. Enhances safety with slip-resistant properties
- 4. Easy to apply, clean and maintain
- 5. Naturally de-foaming with no ripples
- 6. Durable, high gloss, water resistant

Advantages Of Epoxy Flake Floor Coating:

Epoxy flake floor coating is a highly-durable floor coating application that incorporates a double broadcast of colored flakes chips with epoxy resin and polyaspartic coatings. The system provides flooring solutions for the most demanding heavy-traffic environments, specifically in areas that require significant traction. The durable and stunning appearance that comes from this epoxy finish will endure for many years to come, with minimal or no maintenance other than regular cleaning using mild cleaning products. UV stable epoxy flake coating offers seamless, safe, highly durable, and easy to clean solutions to meet the most demanding flooring challenges.

Product Descriptions Of Epoxy Flake Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Transparent	Transparent
Viscosity@25°C	700-900 mPa⋅s	300-500 mPa⋅s
Density, g/cm3	1.07±0.05	0.95±0.03
Mix Ratio	2:1 by weight	
Hardness	Shore, D80-85	
Pot Life	30-40mins@25°C	
Curing Time	6-8hrs@35°C, 10-15hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5 mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial	
	Use - Shopping malls and boutiques, Hotels, Offices, Showrooms,	
	Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use -	
	Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	









(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China