

High Gloss Topcoat Self Leveling Epoxy Floor Coating For Factories Warehouses

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-SL5001
Minimum Order Quantity: 500KG

Price: US\$2.5-3.8/Kg
Packaging Details: Bottle/Carton/Pallet
Delivery Time: 3-7 Working Days

Payment Terms: T/T

• Supply Ability: 1000 Ton/Month



Product Specification

Product Range: Two Pack Floor Paint Attribute: Durable Surface

Key Words: Seamless, High Gloss Finish
Materials: Epoxy Resin And Hardener
Application: Wood, Tile, Concrete
Mixing Ratio: 5:1 By Weight
Pot Life: 30 Minutes

Highlight: Warehouses Epoxy Floor Coating,
 High Gloss Epoxy Floor Coating,

12 Months

Self Leveling Epoxy Floor Coating

CREKOAT

More Images

Shelf Life:



Product Description

High Gloss Topcoat Self Leveling Epoxy Floor Coating For Factories Warehouses

Quick Details Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings are durable, high-performance solutions designed for heavy-duty environments. These coatings provide excellent resistance to chemicals, abrasion, impact, and moisture, making them ideal for factories, warehouses, and garages. They are typically applied in multiple layers (primer, base coat, topcoat) for enhanced durability and a seamless, easy-to-clean surface. Available in various finishes (glossy, matte, anti-slip) and colors, epoxy coatings also offer UV stability and fast curing times. Their strong adhesion to concrete ensures long-lasting protection while improving aesthetics and safety. Low maintenance and cost-effective, they are widely used in industrial, commercial, and institutional settings.

Features Of Industrial Epoxy Floor Coating:

- 1. Resists heavy foot and vehicle traffic
- 2. Withstands acids, oils, solvents, and other harsh chemicals
- 3. Non-slip surface for enhanced safety
- 4. Easy to apply, clean and maintain surface
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings offer exceptional durability, chemical resistance, and long-term cost savings, making them ideal for high-traffic facilities. Their seamless, non-porous surface resists oils, acids, and abrasions while ensuring easy cleaning and maintenance. With high adhesion strength and customizable finishes (anti-slip, UV-resistant, or decorative), they enhance safety and aesthetics. Epoxy floors also feature fast curing times, minimizing downtime, and can withstand heavy loads, making them perfect for factories, warehouses, and garages. Low-VOC options provide eco-friendly solutions without compromising performance.

Product Descriptions Of Industrial Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	5:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	8-10hrs@35°C, 15-20hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms,	
	kitchens and living rooms.	









(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China