

Self Leveling Concrete Paint For Commercial And Industrial Environments

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-SL5001
Minimum Order Quantity: 500KG

Price: US\$2.5-3.8/Kg
Packaging Details: Bottle/Carton/Pallet
Delivery Time: 3-7 Working Days

Payment Terms: T/T

Supply Ability: 1000 Ton/Month



Product Specification

Product Type: Concrete Epoxy Core Trait: Slip Resistant . Key Words: Durable Surface Materials: High Solids Epoxy Wood, Tile, Concrete · Application: Mixing Ratio: 5:1 By Weight Pot Life: 30 Minutes Shelf Life: 12 Months

Highlight: Industrial Self Leveling Concrete Paint,
 Commercial Self Leveling Concrete Paint



Product Description

Self Leveling Concrete Paint For Commercial And Industrial Environments

Quick Details Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings are high-performance, durable solutions designed for demanding commercial and industrial environments, offering exceptional resistance to heavy traffic, impacts, abrasion, and harsh chemicals like oils, solvents, and acids. Their seamless, non-porous surface prevents bacterial growth for easy cleaning and hygiene maintenance, while customizable finishes - including glossy, matte, anti-slip, or decorative flake/quartz options - provide both functionality and aesthetic appeal. With fast installation and curing times that minimize facility downtime, these long-lasting coatings are ideal for factories, warehouses, garages, labs, hospitals, and food processing plants, delivering years of reliable protection that enhances safety, cleanliness, and operational efficiency for concrete flooring systems.

Features Of Industrial Epoxy Floor Coating:

- 1. Reduces downtime during installation
- 2. Handles extreme temperature changes
- 3. Non-slip surface for enhanced safety
- 4. Easy to apply, clean and maintain surface
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings offer exceptional durability, chemical resistance, and long-term cost savings, making them ideal for high-traffic facilities. Their seamless, non-porous surface resists oils, acids, and abrasions while ensuring easy cleaning and maintenance. With high adhesion strength and customizable finishes (anti-slip, UV-resistant, or decorative), they enhance safety and aesthetics. Epoxy floors also feature fast curing times, minimizing downtime, and can withstand heavy loads, making them perfect for factories, warehouses, and garages. Low-VOC options provide eco-friendly solutions without compromising performance.

Product Descriptions Of Industrial Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	5:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	8-10hrs@35°C, 15-20hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	









(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China