

Rapid-Cure Industrial Epoxy Floor Coating Allows Return To Service In 8 Hours

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-PT4001
Minimum Order Quantity: 500KG

Price: US\$2.5-3.8/Kg
 Packaging Details: Bottle/Carton/Pallet
 Delivery Time: 3-7 Working Days

Payment Terms: T/T

Supply Ability: 1000 Ton/Month



Product Specification

Shelf Life:

Product Entry: Epoxy Cement Floor
Cognitive Marker: Customizable Colors
Key Words: Durable Surface
Materials: High Solids Epoxy
Application: Wood, Tile, Concrete
Mixing Ratio: 4:1 By Weight
Pot Life: 30 Minutes

• Highlight: 8 Hours Industrial Epoxy Floor Coating,

12 Months

Rapid-Cure Industrial Epoxy Floor Coating,

Industrial Epoxy Floor Coating



Product Description

Rapid-Cure Industrial Epoxy Floor Coating Allows Return To Service In 8 Hours

Quick Details Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings now integrate smart response technology for enhanced safety and durability. These advanced systems automatically adjust surface friction when detecting moisture, significantly reducing slip hazards in wet environments. For heavy-load areas, the coating's unique molecular structure distributes weight evenly, preventing premature wear. The thermal-stable formulation performs consistently from -30°C to 180°C, making it ideal for both cold storage and high-temperature facilities. With built-in wear indicators that visually signal maintenance needs and easy-to-replace modular sections, these next-gen coatings deliver 15+ years of low-maintenance protection while actively preventing accidents.

Features Of Industrial Epoxy Floor Coating:

- 1. Features antimicrobial additives for food/pharmaceutical grade compliance
- 2. Rapid-cure formula allows return to service within 8 hours
- 3. Non-slip surface for enhanced safety
- 4. Easy to apply, clean and maintain surface
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings offer exceptional durability, chemical resistance, and long-term cost savings, making them ideal for high-traffic facilities. Their seamless, non-porous surface resists oils, acids, and abrasions while ensuring easy cleaning and maintenance. With high adhesion strength and customizable finishes (anti-slip, UV-resistant, or decorative), they enhance safety and aesthetics. Epoxy floors also feature fast curing times, minimizing downtime, and can withstand heavy loads, making them perfect for factories, warehouses, and garages. Low-VOC options provide eco-friendly solutions without compromising performance.

Product Descriptions Of Industrial Epoxy Floor Coating:

| Item | Epoxy Resin(A) | Hardener(B) |
|--------------|---|-------------|
| Appearance | Liquid | Liquid |
| Color | Custom Colors | Transparent |
| Density@25°C | 1.3g/cm3 | |
| Mix Ratio | 4:1 by weight | |
| Hardness | 3H | |
| Pot Life | 30-40mins@25°C | |
| Curing Time | 8-10hrs@35°C, 15-20hrs@25°C | |
| | 24hrs, Dry Completely | |
| Recoat Time | 2Hrs | |
| Thickness | 1-5mm | |
| Shelf Life | 12 Months | |
| Application | Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms. | |









(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China