

# Non-Slip Warehouse Epoxy Flooring In Standard And Specialty Colors

## **Basic Information**

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-PT4001
Minimum Order Quantity: 500KG

Price: US\$2.5-3.8/Kg
 Packaging Details: Bottle/Carton/Pallet
 Delivery Time: 3-7 Working Days

Payment Terms: T/T

Supply Ability: 1000 Ton/Month



# **Product Specification**

• Product Edition: Industrial Resin Flooring

Constituents: Low Maintenance
Key Words: Durable Surface
Materials: High Solids Epoxy
Application: Wood, Tile, Concrete
Mixing Ratio: 4:1 By Weight

Pot Life: 30 MinutesShelf Life: 12 Months

• Highlight: Standard Colors Warehouse Epoxy Flooring,

Specialty Colors Warehouse Epoxy Flooring,

Non Slip Warehouse Epoxy Flooring



## **Product Description**

#### Non-Slip Warehouse Epoxy Flooring Available In Standard And Specialty Colors

#### **Quick Details Of Industrial Epoxy Floor Coating:**

Industrial epoxy floor coatings deliver reliable protection with practical enhancements for everyday workspaces. These resilient surfaces stand up to spills, scrapes, and heavy use while maintaining a clean, professional appearance. Choose from smooth finishes that simplify mopping or textured options for better footing in busy areas. The non-porous design prevents liquid absorption, making them ideal for places that need frequent cleaning like kitchens or garages. With quick-drying formulas that minimize downtime during installation and color choices to brighten dull spaces, epoxy floors offer a sensible upgrade that balances durability with everyday functionality for shops, storage areas, and production floors.

#### Features Of Industrial Epoxy Floor Coating:

- 1. Bonds securely to properly prepared concrete
- 2. Minimizes particulate generation in clean environments
- 3. Non-slip surface for enhanced safety
- 4. Easy to apply, clean and maintain surface
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

#### **Advantages Of Industrial Epoxy Floor Coating:**

Industrial epoxy floor coatings offer exceptional durability, chemical resistance, and long-term cost savings, making them ideal for high-traffic facilities. Their seamless, non-porous surface resists oils, acids, and abrasions while ensuring easy cleaning and maintenance. With high adhesion strength and customizable finishes (anti-slip, UV-resistant, or decorative), they enhance safety and aesthetics. Epoxy floors also feature fast curing times, minimizing downtime, and can withstand heavy loads, making them perfect for factories, warehouses, and garages. Low-VOC options provide eco-friendly solutions without compromising performance.

#### **Product Descriptions Of Industrial Epoxy Floor Coating:**

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	4:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	8-10hrs@35°C, 15-20hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	









( +8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China