

Long-Lasting Non Slip Epoxy Floor For Underground Car Parking Lot

Basic Information

Place of Origin: CHINA
Brand Name: CREKOAT
Certification: TDS, MSDS
Model Number: CK-PT4001
Minimum Order Quantity: 500KG

Price: US\$2.5-3.8/Kg
 Packaging Details: Bottle/Carton/Pallet
 Delivery Time: 3-7 Working Days

Payment Terms: T/T

Supply Ability: 1000 Ton/Month



Product Specification

Product Version: Cement Epoxy Coating
Configurations: Adhesion Strength
Key Words: Durable Surface
Materials: High Solids Epoxy
Application: Wood, Tile, Concrete
Mixing Ratio: 4:1 By Weight

Pot Life: 30 MinutesShelf Life: 12 Months

• Highlight: Non Slip Epoxy Floor,

 ${\bf Underground\ Car\ Parking\ Lot\ Epoxy\ Floor},$

Long Lasting Epoxy Floor



Product Description

Long-Lasting Non Slip Epoxy Floor For Underground Car Parking Lot

Quick Details Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings provide tough, long-wearing surfaces that simplify maintenance in active workplaces. These practical floors resist everyday wear from carts, equipment, and foot traffic while staying looking fresh. The seamless design eliminates grout lines and cracks where dirt collects, making sweeping and mopping quicker. You can select glossy surfaces to brighten dim areas or matte finishes that hide scuffs and dust. Ideal for back-of-house areas, workshops, and storage spaces, epoxy coatings install efficiently over existing concrete and hold up to years of steady use without needing special treatments or waxing. Their no-nonsense durability and easy-care features make them a smart choice for businesses that value both performance and low-maintenance solutions.

Features Of Industrial Epoxy Floor Coating:

- 1. Ranges from high-gloss to matte finishes
- 2. Some systems allow foot traffic in 12-24 hours
- 3. Non-slip surface for enhanced safety
- 4. Easy to apply, clean and maintain surface
- 5. Withstand heavy equipment and machinery
- 6. Suitable for industries and commercial spaces

Advantages Of Industrial Epoxy Floor Coating:

Industrial epoxy floor coatings offer exceptional durability, chemical resistance, and long-term cost savings, making them ideal for high-traffic facilities. Their seamless, non-porous surface resists oils, acids, and abrasions while ensuring easy cleaning and maintenance. With high adhesion strength and customizable finishes (anti-slip, UV-resistant, or decorative), they enhance safety and aesthetics. Epoxy floors also feature fast curing times, minimizing downtime, and can withstand heavy loads, making them perfect for factories, warehouses, and garages. Low-VOC options provide eco-friendly solutions without compromising performance.

Product Descriptions Of Industrial Epoxy Floor Coating:

Item	Epoxy Resin(A)	Hardener(B)
Appearance	Liquid	Liquid
Color	Custom Colors	Transparent
Density@25°C	1.3g/cm3	
Mix Ratio	4:1 by weight	
Hardness	3H	
Pot Life	30-40mins@25°C	
Curing Time	8-10hrs@35°C, 15-20hrs@25°C	
	24hrs, Dry Completely	
Recoat Time	2Hrs	
Thickness	1-5mm	
Shelf Life	12 Months	
Application	Industrial Use - Garages, Warehouses, Airports and hangars. Commercial Use - Shopping malls and boutiques, Hotels, Offices, Showrooms, Restaurants, Hospitals, Schools, Bar Tops, Table Tops. Residential Use - Entrances and hallways, basements, entertainment rooms, bathrooms, kitchens and living rooms.	









(+8615017402317 info@crekoat.com epoxyresinfloorcoating.com

No.38, Fengguo Industrial Avenue, Sanshui District, Foshan City, China